Index of Papers Published in 1983

Author Index

A

Adams, C. E. *et al.*: *Bottom Furrows and Estimated Currents in the Mississippi Delta Region*, (Tech. Paper SPE9749) SPEJ Feb., 83 177-183

Ahmed, T. *et al.*: *Preliminary Experimental Results of High-Pressure Nitrogen Injection for EOR Systems*, (Tech. Paper SPE10273) SPEJ Apr., 83 339-348

Allen, M. B. and Pinder, G. F.: *Collocation Simulation of Multiphase Porous-Medium Flow*, (Tech. Paper SPE10555) SPEJ Feb., 83 135-142

Anis, M. *et al.*: *A Sensitivity Study of the Effect of Parameters on Results From an In-Situ Combustion Simulator*, (Tech. Paper SPE10764) SPEJ Apr., 83 259-264

Arf, G. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Arriola, A. *et al.*: *Trapping of Oil Drops in a Noncircular Pore Throat and Mobilization Upon Contact With a Surfactant*, (Tech. Paper SPE9404) SPEJ Feb., 83 99-114

Azar, J. J. and Hussaini, S. M.: *Experimental Study of Drilled Cuttings Transport Using Common Drilling Muds*, (Tech. Paper SPE10674) SPEJ Feb., 83 11-20

Aziz, K. *et al.*: *A Robust Iterative Method for Flash Calculations Using The Soave-Redlich- Kwong or the Peng-Robinson Equation of State*, (Tech. Paper SPE8285) SPEJ June, 83 521-530

B

Barakat, Y. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Barber, D. R. *et al.*: *Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

Behie, A. and Forsyth, P. A.: *Multigrid Solution of the Pressure Equation in Reservoir Simulation*, (Tech. Paper SPE10492) SPEJ Aug., 83 623-632

Bennett, C. O. *et al.*: *Influence of Fracture Heterogeneity and Wing Length on the Response of Vertically Fractured Wells*, (Tech. Paper SPE9886) SPEJ Apr., 83 219-230

Bethea, R. M. *et al.*: *Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

Biot, M. A. *et al.*: *Fracture Penetration Through an Interface*, (Tech. Paper SPE10372) SPEJ Dec., 83 857-869

Bixley, P. F. *et al.*: *Internal Flows in Geothermal Wells: Their Identification and Effect on the Wellbore Temperature and Pressure Profiles*, (Tech. Paper SPE10317) SPEJ Feb., 83 168-176

Bourland, B. I. and Jacques, D. F.: *A Study of Solubility of Strontium Sulfate*, (Tech. Paper SPE9625) SPEJ Apr., 83 292-300

Bourrel, M. and Chambu, C.: *The Rules for Achieving High Solubilization of Brine and Oil* (Tech. Paper SPE10676) SPEJ Apr., 83 327-338

Boykin, R. S. *et al.*: *Nonstatic Pressure History Analyses for Gas Reservoirs*, (Tech. Paper SPE10356) SPEJ Apr., 83 209-218

Brost, D. F. *et al.*: *Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

Brown, Kermit E. *et al.*: *A New Concept in Continuous-Flow Gas Lift Design*, (Tech. Paper SPE8026) SPEJ Dec., 83 885-890

Bunge, A. L. and Radke, C. J.: *Divalent Ion Exchange With Alkali*, (Tech. Paper SPE8995) SPEJ Aug., 83 657-668

Bush, D. C. and Freeman, D. L.: *Low-Permeability Laboratory Measurements by Nonsteady State and Conventional Methods*, (Tech. Paper SPE10075) SPEJ Dec., 83 928-936

C

Carroll, H. B. and Palmer, Ian D.: *Three-Dimensional Hydraulic Fracture Propagation in the Presence of Stress Variations*, (Tech. Paper SPE10849) SPEJ Dec., 83 870-878

Chambu, C. and Bourrel, M.: *The Rules for Achieving High Solubilization of Brine and Oil* (Tech. Paper SPE10676) SPEJ Apr., 83 327-338

Chaney, G. T. and Economides, M. J.: *The Rheological Properties of Prudhoe Bay Oil and the Effects of a Prolonged Flow Interruption on its Flow Behavior*, (Tech. Paper SPE10557) SPEJ June, 83 408-416

Chatzis, I. *et al.*: *Magnitude and Detailed Structure of Residual Oil Saturation*, (Tech. Paper SPE10681) SPEJ Apr., 83 311-326

Chen, H.: *Numerical Simulation of Coning Behavior of a Single Well in a Naturally Fractured Reservoir*, (Tech. Paper SPE10566) SPEJ Dec., 83 879-884

Chung, Y. M. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Closmann, P. J. and Smith, R. A.: *Temperature Observations and Steam-Zone Rise in the Vicinity of a Steam-Heated Fracture*, (Tech. Paper SPE9898) SPEJ Aug., 83 575-586

Closmann, P. J. and Seba, R. D.: *Laboratory Tests on Heavy Oil Recovery by Steam Injection*, (Tech. Paper SPE10778) SPEJ June, 83 417-426

Coble, L. E. *et al.*: *Nonstatic Pressure History Analyses for Gas Reservoirs*, (Tech. Paper SPE10356) SPEJ Apr., 83 209-218

Coleman, J. M. *et al.*: *Bottom Furrows and Estimated Currents in the Mississippi Delta Region*, (Tech. Paper SPE9749) SPEJ Feb., 83 177-183

Collins, S. H. *et al.*: *Stability of Aqueous Wetting Films in Athabasca Tar Sands*, (Tech. Paper SPE10626) SPEJ Apr., 83 249-258

Crichlow, H. *et al.*: *Preliminary Experimental Results of High-Pressure Nitrogen Injection for EOR Systems*, (Tech. Paper SPE10273) SPEJ Apr., 83 339-348

D

Davis, L. A. *et al.*: *Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

de St.Q Isaacson, M.: *Steep Wave Forces on Large Offshore Structures*, (Tech. Paper SPE11334) SPEJ Feb., 83 184-190

Dixon, T. N. *et al.*: *Fractured Reservoir Simulation*, (Tech. Paper SPE9305) SPEJ Feb., 83 42-54

Index of Papers Published in 1983

Author Index

A

Adams, C. E. *et al.*: *Bottom Furrows and Estimated Currents in the Mississippi Delta Region*, (Tech. Paper SPE9749) SPEJ Feb., 83 177-183

Ahmed, T. *et al.*: *Preliminary Experimental Results of High-Pressure Nitrogen Injection for EOR Systems*, (Tech. Paper SPE10273) SPEJ Apr., 83 339-348

Allen, M. B. and Pinder, G. F.: *Collocation Simulation of Multiphase Porous-Medium Flow*, (Tech. Paper SPE10555) SPEJ Feb., 83 135-142

Anis, M. *et al.*: *A Sensitivity Study of the Effect of Parameters on Results From an In-Situ Combustion Simulator*, (Tech. Paper SPE10764) SPEJ Apr., 83 259-264

Arf, G. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Arriola, A. *et al.*: *Trapping of Oil Drops in a Noncircular Pore Throat and Mobilization Upon Contact With a Surfactant*, (Tech. Paper SPE9404) SPEJ Feb., 83 99-114

Azar, J. J. and Hussaini, S. M.: *Experimental Study of Drilled Cuttings Transport Using Common Drilling Muds*, (Tech. Paper SPE10674) SPEJ Feb., 83 11-20

Aziz, K. *et al.*: *A Robust Iterative Method for Flash Calculations Using The Soave-Redlich- Kwong or the Peng-Robinson Equation of State*, (Tech. Paper SPE8285) SPEJ June, 83 521-530

B

Barakat, Y. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Barber, D. R. *et al.*: *Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

Behie, A. and Forsyth, P. A.: *Multigrid Solution of the Pressure Equation in Reservoir Simulation*, (Tech. Paper SPE10492) SPEJ Aug., 83 623-632

Bennett, C. O. *et al.*: *Influence of Fracture Heterogeneity and Wing Length on the Response of Vertically Fractured Wells*, (Tech. Paper SPE9886) SPEJ Apr., 83 219-230

Bethea, R. M. *et al.*: *Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

Biot, M. A. *et al.*: *Fracture Penetration Through an Interface*, (Tech. Paper SPE10372) SPEJ Dec., 83 857-869

Bixley, P. F. *et al.*: *Internal Flows in Geothermal Wells: Their Identification and Effect on the Wellbore Temperature and Pressure Profiles*, (Tech. Paper SPE10317) SPEJ Feb., 83 168-176

Bourland, B. I. and Jacques, D. F.: *A Study of Solubility of Strontium Sulfate*, (Tech. Paper SPE9625) SPEJ Apr., 83 292-300

Bourrel, M. and Chambu, C.: *The Rules for Achieving High Solubilization of Brine and Oil* (Tech. Paper SPE10676) SPEJ Apr., 83 327-338

Boykin, R. S. *et al.*: *Nonstatic Pressure History Analyses for Gas Reservoirs*, (Tech. Paper SPE10356) SPEJ Apr., 83 209-218

Brost, D. F. *et al.*: *Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

Brown, Kermit E. *et al.*: *A New Concept in Continuous-Flow Gas Lift Design*, (Tech. Paper SPE8026) SPEJ Dec., 83 885-890

Bunge, A. L. and Radke, C. J.: *Divalent Ion Exchange With Alkali*, (Tech. Paper SPE8995) SPEJ Aug., 83 657-668

Bush, D. C. and Freeman, D. L.: *Low-Permeability Laboratory Measurements by Nonsteady State and Conventional Methods*, (Tech. Paper SPE10075) SPEJ Dec., 83 928-936

C

Carroll, H. B. and Palmer, Ian D.: *Three-Dimensional Hydraulic Fracture Propagation in the Presence of Stress Variations*, (Tech. Paper SPE10849) SPEJ Dec., 83 870-878

Chambu, C. and Bourrel, M.: *The Rules for Achieving High Solubilization of Brine and Oil* (Tech. Paper SPE10676) SPEJ Apr., 83 327-338

Chaney, G. T. and Economides, M. J.: *The Rheological Properties of Prudhoe Bay Oil and the Effects of a Prolonged Flow Interruption on its Flow Behavior*, (Tech. Paper SPE10557) SPEJ June, 83 408-416

Chatzis, I. *et al.*: *Magnitude and Detailed Structure of Residual Oil Saturation*, (Tech. Paper SPE10681) SPEJ Apr., 83 311-326

Chen, H.: *Numerical Simulation of Coning Behavior of a Single Well in a Naturally Fractured Reservoir*, (Tech. Paper SPE10566) SPEJ Dec., 83 879-884

Chung, Y. M. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Closmann, P. J. and Smith, R. A.: *Temperature Observations and Steam-Zone Rise in the Vicinity of a Steam-Heated Fracture*, (Tech. Paper SPE9898) SPEJ Aug., 83 575-586

Closmann, P. J. and Seba, R. D.: *Laboratory Tests on Heavy Oil Recovery by Steam Injection*, (Tech. Paper SPE10778) SPEJ June, 83 417-426

Coble, L. E. *et al.*: *Nonstatic Pressure History Analyses for Gas Reservoirs*, (Tech. Paper SPE10356) SPEJ Apr., 83 209-218

Coleman, J. M. *et al.*: *Bottom Furrows and Estimated Currents in the Mississippi Delta Region*, (Tech. Paper SPE9749) SPEJ Feb., 83 177-183

Collins, S. H. *et al.*: *Stability of Aqueous Wetting Films in Athabasca Tar Sands*, (Tech. Paper SPE10626) SPEJ Apr., 83 249-258

Crichlow, H. *et al.*: *Preliminary Experimental Results of High-Pressure Nitrogen Injection for EOR Systems*, (Tech. Paper SPE10273) SPEJ Apr., 83 339-348

D

Davis, L. A. *et al.*: *Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

de St.Q Isaacson, M.: *Steep Wave Forces on Large Offshore Structures*, (Tech. Paper SPE11334) SPEJ Feb., 83 184-190

Dixon, T. N. *et al.*: *Fractured Reservoir Simulation*, (Tech. Paper SPE9305) SPEJ Feb., 83 42-54

Donaldson, I. G. *et al.: Internal Flows in Geothermal Wells: Their Identification and Effect on the Wellbore Temperature and Pressure Profiles*, (Tech. Paper SPE10317) SPEJ Feb., 83 168-176

Doscher, T. M. and Gharib, S.: *Physically Scaled Model Studies Simulating the Displacement of Residual Oil by Miscible Fluids*, (Tech. Paper SPE8896) SPEJ June, 83 440-446

Doty, D. R. and Schmidt, Z.: *An Improved Model for Sucker Rod Pumpling*, (Tech. Paper SPE10249) SPEJ Feb., 83 33-41

Duerksen, J. H. and Hsueh, L.: *Steam Distillation of Crude Oils*, (Tech. Paper SPE10070) SPEJ Apr., 83 265-271

E

Economides, M. J. and Chaney, G. T.: *The Rheological Properties of Prudhoe Bay Oil and the Effects of a Prolonged Flow Interruption on its Flow Behavior*, (Tech. Paper SPE10557) SPEJ June, 83 408-416

Edwards, J. T. *et al.: In-Situ Leaching of South Texas Uranium Ores - Part 1: Laboratory Studies of Ore Composition and Leaching Performance*, (Tech. Paper SPE10232) SPEJ Apr., 83 377-386

El-Gassier, M. *et al.: A Modified Spinning Drop Method for High-Temperature Applications*, (Forum SPE9003) SPEJ Feb., 83 155-156

Elder, Robert B. and WU, Ching H.: *Correlation of Crude Oil Steam Distillation Yields With Basic Crude Oil Properties*, (Tech. Paper SPE9943) SPEJ Dec., 83 937-945

Ershaghi, I. *et al.: A Modified Spinning Drop Method for High-Temperature Applications*, (Forum SPE9003) SPEJ Feb., 83 155-156

Ertekin, T. *et al.: Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

F

Fanchi, J. R.: *Multidimensional Numerical Dispersion*, (Tech. Paper SPE9018) SPEJ Feb., 83 143-151

Fletcher, A. *et al.: In-Situ Leaching of South Texas Uranium Ores - Part 2: Oxidative Removal of Adsorbed Ammonium Ions With Sodium Hypochlorite*, (Tech. Paper SPE11670) SPEJ Apr., 83 387-396

Fogler, H. S. and Khilar, K. C.: *Water Sensitivity of Sandstones*, (Tech. Paper SPE10103) SPEJ Feb., 83 55-64

Fokas, A. S. and Yortsos, Y. C.: *An Analytical Solution for Linear Waterflood Including the Effects of Capillary Pressure*, (Tech. Paper SPE9407) SPEJ Feb., 83 115-124

Forsyth, P. A. and Behie, A.: *Multigrid Solution of the Pressure Equation in Reservoir Simulation*, (Tech. Paper SPE10492) SPEJ Aug., 83 623-632

Fortney, L. N. *et al.: The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Foster, B. A. *et al.: An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Freeman, D. L. and Bush, D. C.: *Low-Permeability Laboratory Measurements by Nonsteady State and Conventional Methods*, (Tech. Paper SPE10075) SPEJ Dec., 83 928-936

Frimodig, J. P. *et al.: Carbon Dioxide Flooding Evaluation of High-Pour-Point, Paraffinic Red Wash Reservoir Oil*, (Tech. Paper SPE10272) SPEJ Aug., 83 587-594

Fuller, M. D. *et al.: An Ultrasonic Global Inspection Technique for an Offshore K-Joint*, (Tech. Paper SPE10354) SPEJ Apr., 83 358-364

G

Gall, B. L. *et al.: Semiautomated Method for Cation-Exchanged-Capacity Determination of Reservoir Rocks*, (Tech. Paper SPE9873) SPEJ Apr., 83 231-237

Gharib, S. and Doscher, T. M.: *Physically Scaled Model Studies Simulating the Displacement of Residual Oil by Miscible Fluids*, (Tech. Paper SPE8896) SPEJ June, 83 440-446

Gilman, J. R. and Kazemi, H.: *Improvements in Simulation of Naturally Fractured Reservoirs*, (Tech. Paper SPE10511) SPEJ Aug., 83 695-707

Glowka, D.: *Optimization of Bit Hydraulic Configurations*, (Tech. Paper SPE10240) SPEJ Feb., 83 21-32

Grant, M. A. *et al.: Internal Flows in Geothermal Wells: Their Identification and Effect on the Wellbore Temperature and Pressure Profiles*, (Tech. Paper SPE10317) SPEJ Feb., 83 168-176

Green, D. W. *et al.: Trapping of Oil Drops in a Noncircular Pore Throat and Mobilization Upon Contact With a Surfactant*, (Tech. Paper SPE9404) SPEJ Feb., 83 99-114

Guven, N. *et al.: Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

H

Hall, A. C. *et al.: Stability of Aqueous Wetting Films in Athabasca Tar Sands*, (Tech. Paper SPE10626) SPEJ Apr., 83 249-258

Halverson, F. *et al.: Rheological Monitoring of the Formation of Polyacrylamide/Cr+3 Gels*, (Tech. Paper SPE10948) SPEJ Oct., 83 804-808

Handy, L. L. *et al.: A Modified Spinning Drop Method for High-Temperature Applications*, (Forum SPE9003) SPEJ Feb., 83 155-156

Haskins, H. K. *et al.: Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

Heidenan, J. C. *et al.: Wind Tunnel Tests of Inclined Circular Cylinders*, (Tech. Paper SPE11546) SPEJ Feb., 83 191-196

Henry, R. L. and Metcalfe, R. S.: *Multiple-Phase Generation During Carbon Dioxide Flooding*, (Tech. Paper SPE8812) SPEJ Aug., 83 595-601

Hertzog, R. *et al.: Neutron-Induced Gamma Ray Spectroscopy for Reservoir Analysis*, (Tech. Paper SPE9461) SPEJ June, 83 553-564

Hirasaki, G. J. *et al.: Study of the Oil Wedge Phenomenon Through the Use of a Chemical Flood Simulator*, (Tech. Paper SPE10729) SPEJ Oct., 83 746-758

Hirasaki, G. J. *et al.: Evaluation of the Salinity Gradient Concept in Surfactant Flooding*, (Tech. Paper SPE8825) SPEJ June, 83 486-500

Holbrook, S. T. *et al.: Rheology of Mobility-Control Foams*, (Tech. Paper SPE9809) SPEJ June, 83 456-460

Holmes, B. G. *et al.: In-Situ Leaching of South Texas Uranium Ores - Part 1: Laboratory Studies of Ore Composition and Leaching Performance*, (Tech. Paper SPE10232) SPEJ Apr., 83 377-386

Horne, R. N. and Sec, B. A.: *Optimal Reservoir Production Scheduling by Using Reservoir Simulation*, (Tech. Paper SPE11133) SPEJ Oct., 83 717-726

Hsieh, C. and Ramey, H. J.: *Vapor Pressure Lowering in Geothermal Systems*, (Tech. Paper SPE9926) SPEJ Feb., 83 157-167

Hsu, W. *et al.: Rheology of Mobility-Control Foams*, (Tech. Paper SPE9809) SPEJ June, 83 456-460

Hsueh, L. and Duerksen, J. H.: *Steam Distillation of Crude Oils*, (Tech. Paper SPE10070) SPEJ Apr., 83 265-271

Huh, C.: *Equilibrium of a Microemulsion That Coexists With Oil or Brine*, (Tech. Paper SPE10728) SPEJ Oct., 83 829-847

Hussaini, S. M. and Azar, J. J.: *Experimental Study of Drilled Cuttings Transport Using Common Drilling Muds*, (Tech. Paper SPE10674) SPEJ Feb., 83 11-20

Huygen, H. H. A. and Lowry, W. R.: *Steamflooding Wabasca Tar Sand Through the Bottomwater Zone–Scaled Model Tests*, (Tech. Paper SPE8398) SPEJ Feb., 83 92-98

Hwang, M. K. *et al.*: *A Sensitivity Study of the Effect of Parameters on Results From an In-Situ Combustion Simulator*, (Tech. Paper SPE10764) SPEJ Apr., 83 259-264

J

Jacques, D. F. and Bourland, B. I.: *A Study of Solubility of Strontium Sulfate*, (Tech. Paper SPE9625) SPEJ Apr., 83 292-300

Jeong, Y. H. *et al.*: *An Ultrasonic Global Inspection Technique for an Offshore K-Joint*, (Tech. Paper SPE10354) SPEJ Apr., 83 358-364

Johnson, W. F. *et al.*: *In-Situ Leaching of South Texas Uranium Ores - Part 2: Oxidative Removal of Adsorbed Ammonium Ions With Sodium Hypochlorite*, (Tech. Paper SPE11670) SPEJ Apr., 83 387-396

Jones, J. H. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

K

Kazemi, H. and Gilman, J. R.: *Improvements in Simulation of Naturally Fractured Reservoirs*, (Tech. Paper SPE10511) SPEJ Aug., 83 695-707

Khilar, K. C. and Fogler, H. S.: *Water Sensitivity of Sandstones*, (Tech. Paper SPE10103) SPEJ Feb., 83 55-64

Klaus, E. E. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Kohler, N. *et al.*: *Elimination of Xanthan Microgels by New Enzymatic Treatments*, (Tech. Paper SPE10712) SPEJ Feb., 83 81-91

Koukounis, C. *et al.*: *Phase Partitioning of Anionic and Nonionic Surfactant Mixtures*, (Tech. Paper SPE8261) SPEJ Apr., 83 301-310

Kraynik, A. M. and Rand, P. B.: *Drainage of Aqueous Foams: Generation-Pressure and Cell-Size Effects*, (Forum SPE10533) SPEJ Feb., 83 152-154

Kunze, K. R. and Shaughnessy, C. M.: *Acidizing Sandstone Formations With Fluoboric Acid*, (Tech. Paper SPE9387) SPEJ Feb., 83 65-72

L

LaLanne-Cassou, C. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Labrid, J. and Van Quy, N.: *A Numerical Study of Chemical Flooding - Comparison with Experiments*, (Tech. Paper SPE10202) SPEJ June, 83 461-474

Lam, C. S. *et al.*: *Mobilization of Tesidual Oil Under Equilibrium and Nonequilibrium Conditions*, (Tech. Paper SPE10198) SPEJ Oct., 83 781-790

Levesque, J. M. and Woo, P. T.: *Benchmarking a Sparse Ellimination Routine on the Cyber 205 and the Cray-1*, (Forum SPE10526) SPEJ Oct., 83 743-745

Li, Y. K. *et al.*: *A Robust Iterative Method for Flash Calculations Using The Soave-Redlich- Kwong or the Peng-Robinson Equation of State*, (Tech. Paper SPE8285) SPEJ June, 83 521-530

Lien, C. *et al.*: *Equilibrium Phase Compositions of CO2/Crude Oil Mixtures - Part 2: Comparison of Continuous Multiple-Contact and Slim-Tube Displacement Tests*, (Tech. Paper SPE10725) SPEJ Apr., 83 281-291

Lim, H. T. *et al.*: *Magnitude and Detailed Structure of Residual Oil Saturation*, (Tech. Paper SPE10681) SPEJ Apr., 83 311-326

Lowry, W. R. and Huygen, H. H. A.: *Steamflooding Wabasca Tar Sand Through the Bottomwater Zone–Scaled Model Tests*, (Tech. Paper SPE8398) SPEJ Feb., 83 92-98

M

Mach, Joe M. *et al.*: *A New Concept in Continuous-Flow Gas Lift Design*, (Tech. Paper SPE8026) SPEJ Dec., 83 885-890

Mallard, W. W. *et al.*: *Wind Tunnel Tests of Inclined Circular Cylinders*, (Tech. Paper SPE11546) SPEJ Feb., 83 191-196

Masse', L. *et al.*: *Fracture Penetration Through an Interface*, (Tech. Paper SPE10372) SPEJ Dec., 83 857-869

McCool, C. S. *et al.*: *Interpretation of Differential Pressure in Laboratory Surfactant/Polymer Displacements*, (Tech. Paper SPE10713) SPEJ Oct., 83 791-803

Medlin, M. A. *et al.*: *Fracture Penetration Through an Interface*, (Tech. Paper SPE10372) SPEJ Dec., 83 857-869

Melrose, J. C. *et al.*: *Stability of Aqueous Wetting Films in Athabasca Tar Sands*, (Tech. Paper SPE10626) SPEJ Apr., 83 249-258

Menzie, D. *et al.*: *Preliminary Experimental Results of High-Pressure Nitrogen Injection for EOR Systems*, (Tech. Paper SPE10273) SPEJ Apr., 83 339-348

Metcalfe, R. S. and Henry, R. L.: *Multiple-Phase Generation During Carbon Dioxide Flooding*, (Tech. Paper SPE8812) SPEJ Aug., 83 595-601

Milas, M. *et al.*: *Elimination of Xanthan Microgels by New Enzymatic Treatments*, (Tech. Paper SPE10712) SPEJ Feb., 83 81-91

Morrow, N. R. *et al.*: *Magnitude and Detailed Structure of Residual Oil Saturation*, (Tech. Paper SPE10681) SPEJ Apr., 83 311-326

Mukherjee, Hemanta *et al.*: *A New Concept in Continuous-Flow Gas Lift Design*, (Tech. Paper SPE8026) SPEJ Dec., 83 885-890

N

Naccache, P. F. *et al.*: *An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Nagarajan, R. *et al.*: *Generation of Ultralow Tensions Over a Wide EACN Range Using Pennsylvania State U. Surfactants*, (Tech. Paper SPE9784) SPEJ Feb., 83 73-80

Nelson, R. C. *et al.*: *Study of the Oil Wedge Phenomenon Through the Use of a Chemical Flood Simulator*, (Tech. Paper SPE10729) SPEJ Oct., 83 746-758

Nelson, R. C. *et al.*: *Evaluation of the Salinity Gradient Concept in Surfactant Flooding*, (Tech. Paper SPE8825) SPEJ June, 83 486-500

Nelson, R. C.: *The Effect of Live Crude on Phase Behavior and Oil-Recovery Efficiency of Surfactant Flooding Systems*, (Tech. Paper SPE10677) SPEJ June, 83 501-510

Nes, J. B. *et al.: An Ultrasonic Global Inspection Technique for an Offshore K-Joint*, (Tech. Paper SPE10354) SPEJ Apr., 83 358-364

Nghiem, L. X. *et al.: A Robust Iterative Method for Flash Calculations Using The Soave-Redlich- Kwong or the Peng-Robinson Equation of State*, (Tech. Paper SPE8285) SPEJ June, 83 521-530

Nghiem, L.X.: *Modeling Infinite-Conductivity Vertical Fractures With Source and Sink Terms*, (Tech. Paper SPE10507) SPEJ Aug., 83 633-644

Nguyen, V. V. and Pinder, G. F.: *Geothermal Reservoir Simulation Using Nonequilibrium Thermodynamics*, (Tech. Paper SPE10551) SPEJ Aug., 83 613-622

Nicholas, M. O. *et al.: An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Norton, D. J. *et al.: Wind Tunnel Tests of Inclined Circular Cylinders*, (Tech. Paper SPE11546) SPEJ Feb., 83 191-196

O

Odeh, A. S. *et al.: A Sensitivity Study of the Effect of Parameters on Results From an In-Situ Combustion Simulator*, (Tech. Paper SPE10764) SPEJ Apr., 83 259-264

Orr, F. M. and Silva, M. K.: *Equilibrium Phase Compositions of CO2/Hydrocarbon Mixtures - Part 1: Measurement by a Continuous Multiple-Contact Experiment*, (Tech. Paper SPE10726) SPEJ Apr., 83 272-280

Orr, F. M. *et al.: Equilibrium Phase Compositions of CO2/Crude Oil Mixtures - Part 2: Comparison of Continuous Multiple-Contact and Slim-Tube Displacement Tests*, (Tech. Paper SPE10725) SPEJ Apr., 83 281-291

Ostensen, R. W.: *Microcrack Permeability in Tight Gas Sandstone*, (Tech. Paper SPE10924) SPEJ Dec., 83 919-927

P

Palmer, Ian D. and Carroll, H. B.: *Three-Dimensional Hydraulic Fracture Propagation in the Presence of Stress Variations*, (Tech. Paper SPE10849) SPEJ Dec., 83 870-878

Parker, H. W. *et al.: Effect of Groundwater and pH Modification on Quality of Leachate From Simulated In-Situ Retorted Utah Oil Shale*, (Tech. Paper SPE10628) SPEJ Oct., 83 809-818

Parmeswar, R. *et al.: Interpretation of Differential Pressure in Laboratory Surfactant/Polymer Displacements*, (Tech. Paper SPE10713) SPEJ Oct., 83 791-803

Patton, J. T. *et al.: Rheology of Mobility-Control Foams*, (Tech. Paper SPE9809) SPEJ June, 83 456-460

Paul, J. M. *et al.: In-Situ Leaching of South Texas Uranium Ores - Part 2: Oxidative Removal of Adsorbed Ammonium Ions With Sodium Hypochlorite*, (Tech. Paper SPE11670) SPEJ Apr., 83 387-396

Paul, J. M. *et al.: In-Situ Leaching of South Texas Uranium Ores - Part 1: Laboratory Studies of Ore Composition and Leaching Performance*, (Tech. Paper SPE10232) SPEJ Apr., 83 377-386

Peaceman, D.W.: *Interpretation of Well-Block Pressures in Numerical Reservoir Simulation With Nonsquare Grid Blocks and Anisotropic Permeability*, (Tech. Paper SPE10528) SPEJ June, 83 531-543

Pierson, R. G. *et al.: Fractured Reservoir Simulation*, (Tech. Paper SPE9305) SPEJ Feb., 83 42-54

Pinder, G. F. and Nguyen, V. V.: *Geothermal Reservoir Simulation Using Nonequilibrium Thermodynamics*, (Tech. Paper SPE10551) SPEJ Aug., 83 613-622

Pinder, G. F. and Allen, M. B.: *Collocation Simulation of Multiphase Porous-Medium Flow*, (Tech. Paper SPE10555) SPEJ Feb., 83 135-142

Plasek, R. E. *et al.: Neutron-Induced Gamma Ray Spectroscopy for Reservoir Analysis*, (Tech. Paper SPE9461) SPEJ June, 83 553-564

Poinsatte, J. P. *et al.: Rheological Monitoring of the Formation of Polyacrylamide/Cr+3 Gels*, (Tech. Paper SPE10948) SPEJ Oct., 83 804-808

Pollard, R. K. *et al.: An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Ponting, D. K. *et al.: An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Presley, C. T.: *Sulfonate Retention and Residual Oil Saturation*, (Tech. Paper SPE10343) SPEJ Apr., 83 349-357

Prior, D. B. *et al.: Bottom Furrows and Estimated Currents in the Mississippi Delta Region*, (Tech. Paper SPE9749) SPEJ Feb., 83 177-183

Proano, Eduardo A. *et al.: A New Concept in Continuous-Flow Gas Lift Design*, (Tech. Paper SPE8026) SPEJ Dec., 83 885-890

Prud'homme, R. K. *et al.: Rheological Monitoring of the Formation of Polyacrylamide/Cr+3 Gels*, (Tech. Paper SPE10948) SPEJ Oct., 83 804-808

Puerto, Maura C. and Reed, Ronald L.: *A Three-Parameter Representation of Surfactant/Oil/Brine Interaction*, (Tech. Paper SPE10678) SPEJ Aug., 83 669-682

R

Radke, C. J. and Bunge, A. L.: *Divalent Ion Exchange With Alkali*, (Tech. Paper SPE8995) SPEJ Aug., 83 657-668

Rae, J. *et al.: An Efficient Fully Implicit Simulator*, (Tech. Paper SPE11817) SPEJ Jan., 83 544-552

Raghavan, R. *et al.: Influence of Fracture Heterogeneity and Wing Length on the Response of Vertically Fractured Wells*, (Tech. Paper SPE9886) SPEJ Apr., 83 219-230

Raible, C. J. *et al.: Semiautomated Method for Cation-Exchanged-Capacity Determination of Reservoir Rocl s*, (Tech. Paper SPE9873) SPEJ Apr., 83 231-237

Ramakrishnan, T. S. and Wasan, D. T.: *A Model for Interfacial Activity of Acidic Crude Oil/Caustic Systems for Alkaline Flooding*, (Tech. Paper SPE10716) SPEJ Aug., 83 602-612

Ramey, H. J. and Hsieh, C.: *Vapor Pressure Lowering in Geothermal Systems*, (Tech. Paper SPE9926) SPEJ Feb., 83 157-167

Rand, P. B. and Kraynik, A. M.: *Drainage of Aqueous Foams: Generation-Pressure and Cell-Size Effects*, (Forum SPE10533) SPEJ Feb., 83 152-154

Reed, Ronald L. and Puerto, Maura C.: *A Three-Parameter Representation of Surfactant/Oil/Brine Interaction*, (Tech. Paper SPE10678) SPEJ Aug., 83 669-682

Reese, N. A. *et al.: Carbon Dioxide Flooding Evaluation of High-Pour-Point, Paraffinic Red Wash Reservoir Oil*, (Tech. Paper SPE10272) SPEJ Aug., 83 587-594

Rensvold, R. F.: *Sand-Consolidation resins - Their Stability in Hot Brine*, (Tech. Paper SPE10653) SPEJ Apr., 83 238-248

Reynolds, A. C. *et al.: Influence of Fracture Heterogeneity and Wing Length on the Response of Vertically Fractured Wells*, (Tech. Paper SPE9886) SPEJ Apr., 83 219-230

Rinaudo, M. *et al.: Elimination of Xanthan Microgels by New Enzymatic Treatments*, (Tech. Paper SPE10712) SPEJ Feb., 83 81-91

Rodgers, J. S. *et al.: Nonstatic Pressure History Analyses for Gas Reservoirs*, (Tech. Paper SPE10356) SPEJ Apr., 83 209-218

Rosato, N. D. *et al.*: *Influence of Fracture Heterogeneity and Wing Length on the Response of Vertically Fractured Wells*, (Tech. Paper SPE9886) SPEJ Apr., 83 219-230

Rose, J. L. *et al.*: *An Ultrasonic Global Inspection Technique for an Offshore K-Joint*, (Tech. Paper SPE10354) SPEJ Apr., 83 358-364

S

Schechter, R. S. *et al.*: *Phase Partitioning of Anionic and Nonionic Surfactant Mixtures*, (Tech. Paper SPE8261) SPEJ Apr., 83 301-310

Schechter, R. S. *et al.*: *Mobilization of Tesidual Oil Under Equilibrium and Nonequilibrium Conditions*, (Tech. Paper SPE10198) SPEJ Oct., 83 781-790

Schecter, R. S. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Schmidt, Z. and Doty, D. R.: *An Improved Model for Sucker Rod Pumpling*, (Tech. Paper SPE10249) SPEJ Feb., 83 33-41

Seba, R. D. and Closmann, P. J.: *Laboratory Tests on Heavy Oil Recovery by Steam Injection*, (Tech. Paper SPE10778) SPEJ June, 83 417-426

See, B. A. and Horne, R. N.: *Optimal Reservoir Production Scheduling by Using Reservoir Simulation*, (Tech. Paper SPE11133) SPEJ Oct., 83 717-726

Seright, R. S.: *The Effects of Mechanical Degradation and Viscoelastic Behavior on Injectivity of Polyacrylamid Solutions*, (Tech. Paper SPE9297) SPEJ June, 83 475-485

Sharma, M. M. and Yen, T. F.: *A Thermodynamic Model for Low Interfacial Tensions in Alkaline Flooding*, (Tech. Paper SPE10590) SPEJ Feb., 83 125-134

Shaughnessy, C. M. and Kunze, K. R.: *Acidizing Sandstone Formations With Fluoboric Acid*, (Tech. Paper SPE9387) SPEJ Feb., 83 65-72

Silva, M. K. and Orr, F. M.: *Equilibrium Phase Compositions of CO2/Hydrocarbon Mixtures - Part 1: Measurement by a Continuous Multiple-Contact Experiment*, (Tech. Paper SPE10726) SPEJ Apr., 83 272-280

Silva, M. K. *et al.*: *Equilibrium Phase Compositions of CO2/Crude Oil Mixtures - Part 2: Comparison of Continuous Multiple-Contact and Slim-Tube Displacement Tests*, (Tech. Paper SPE10725) SPEJ Apr., 83 281-291

Smith, R. A. and Closmann, P. J.: *Temperature Observations and Steam-Zone Rise in the Vicinity of a Steam-Heated Fracture*, (Tech. Paper SPE9898) SPEJ Aug., 83 575-586

Stephenson, R. E. and Young, L. C.: *A Generalized Compositional Approach for Reservoir Simulation*, (Tech. Paper SPE10516) SPEJ Oct., 83 727-742

Streltsova, T. D.: *Well Pressure Behavior of a Naturally Fractured Reservoir*, SPEJ Oct., 83 769-780

Szokolik, A.: *Coatings for Underground and Submerged Pipelines Operating at Elevated Temperatures*, (Tech. Paper SPE10448) SPEJ Oct., 83 819-828

T

Tham, M. J. *et al.*: *Study of the Oil Wedge Phenomenon Through the Use of a Chemical Flood Simulator*, (Tech. Paper SPE10729) SPEJ Oct., 83 746-758

Thomas, G. W. and Thurnau, D. H.: *Reservoir Simulation Using an Adaptive Implicit Method*, (Tech. Paper SPE10120) SPEJ Oct., 83 759-768

Thomas, L. K. *et al.*: *Fractured Reservoir Simulation*, (Tech. Paper SPE9305) SPEJ Feb., 83 42-54

Thurnau, D. H. and Thomas, G. W.: *Reservoir Simulation Using an Adaptive Implicit Method*, (Tech. Paper SPE10120) SPEJ Oct., 83 759-768

Tiffin, D. L. and Yellig, W. F.: *Effects of Mobile Water on Multiple-Contact Miscible Gas Displacements*, (Tech. Paper SPE10687) SPEJ June, 83 447-455

Tong, X.: *A Comparative Study of the Characateristics and Susceptibility of Pattern-Type Water-Injection Well Networks From the Viewpoint of Balanced Waterfloods*, (Tech. Paper SPE10567) SPEJ Dec., 83 891-900

Trujillo, E. M.: *The Static and Dynamic Interfacial Tensions Between Crude Oils and Caustic Solutions*, (Tech. Paper SPE10917) SPEJ Aug., 83 645-656

Tsui, T. F. *et al.*: *In-Situ Leaching of South Texas Uranium Ores - Part 1: Laboratory Studies of Ore Composition and Leaching Performance*, (Tech. Paper SPE10232) SPEJ Apr., 83 377-386

Tyler, T. N. *et al.*: *Characterization of Surfactants Using A Scaling Law Interpretation of Coreflood Residual Oil Saturation Profiles*, (Tech. Paper SPE9780) SPEJ June, 83 511-518

U

Uhl, J. T. *et al.*: *Rheological Monitoring of the Formation of Polyacrylamide/Cr+3 Gels*, (Tech. Paper SPE10948) SPEJ Oct., 83 804-808

V

van Domselaar, H. R. *et al.*: *Evaluation of the Salinity Gradient Concept in Surfactant Flooding*, (Tech. Paper SPE8825) SPEJ June, 83 486-500

Van Quy, N. and Labrid, J.: *A Numerical Study of Chemical Flooding - Comparison with Experiments*, (Tech. Paper SPE10202) SPEJ June, 83 461-474

Venuto, P. B. *et al.*: *In-Situ Leaching of South Texas Uranium Ores - Part 2: Oxidative Removal of Adsorbed Ammonium Ions With Sodium Hypochlorite*, (Tech. Paper SPE11670) SPEJ Apr., 83 387-396

Venuto, P. B. *et al.*: *In-Situ Leaching of South Texas Uranium Ores - Part 1: Laboratory Studies of Ore Composition and Leaching Performance*, (Tech. Paper SPE10232) SPEJ Apr., 83 377-386

Volk, L. J. *et al.*: *Semiautomated Method for Cation-Exchanged-Capacity Determination of Reservoir Rocks*, (Tech. Paper SPE9873) SPEJ Apr., 83 231-237

W

Wu, Ching H. and Elder, Robert B.: *Correlation of Crude Oil Steam Distillation Yields With Basic Crude Oil Properties*, (Tech. Paper SPE9943) SPEJ Dec., 83 937-945

Wade, W. H. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Wade, W. H. *et al.*: *Phase Partitioning of Anionic and Nonionic Surfactant Mixtures*, (Tech. Paper SPE8261) SPEJ Apr., 83 301-310

Wade, W. H. *et al.*: *Mobilization of Tesidual Oil Under Equilibrium and Nonequilibrium Conditions*, (Tech. Paper SPE10198) SPEJ Oct., 83 781-790

Wasan, D. T. and Ramakrishnan, T. S.: *A Model for Interfacial Activity of Acidic Crude Oil/Caustic Systems for Alkaline Flooding*, (Tech. Paper SPE10716) SPEJ Aug., 83 602-612

Weerasooriya, U. *et al.*: *The Phase Behavior of Simple Salt-Tolerant Sulfonates*, (Tech. Paper SPE10679) SPEJ Aug., 83 913-918

Wellington, S. L.: *Biopolymer Solution Viscosity Stabilization–Polymer Degradation and Antioxidant Use*, (Tech. Paper SPE9296) SPEJ Dec., 83 901-912

Wendt, R. P.: *Generalized Theory for Evolution and Dispersion of H2S From Alkaline Muds*, (Tech. Paper SPE10176) SPEJ Apr., 83 365-376

Westaway, P. *et al.*: *Neutron-Induced Gamma Ray Spectroscopy for Reservoir Analysis*, (Tech. Paper SPE9461) SPEJ June, 83 553-564

Whitson, C. H.: *Characterizing Hydrocarbon Plus Fractions*, (Tech. Paper SPE12233) SPEJ Aug., 83 683-694

Willhite, G. P. *et al.*: *Trapping of Oil Drops in a Noncircular Pore Throat and Mobilization Upon Contact With a Surfactant*, (Tech. Paper SPE9404) SPEJ Feb., 83 99-114

Willhite, G. P. *et al.*: *Interpretation of Differential Pressure in Laboratory Surfactant/Polymer Displacements*, (Tech. Paper SPE10713) SPEJ Oct., 83 791-803

Williams, C. A. *et al.*: *Carbon Dioxide Flooding Evaluation of High-Pour-Point, Paraffinic Red Wash Reservoir Oil*, (Tech. Paper SPE10272) SPEJ Aug., 83 587-594

Winston, H.: *A Method To Account for Afterflow at the Pulsing Well During Pulse Tests*, (Forum SPE11318) SPEJ June, 83 519-520

Woo, P. T. and Levesque, J. M.: *Benchmarking a Sparse Ellimination Routine on the Cyber 205 and the Cray-1*, (Forum SPE10526) SPEJ Oct., 83 743-745

Y

Yellig, W. F. and Tiffin, D. L.: *Effects of Mobile Water on Multiple-Contact Miscible Gas Displacements*, (Tech. Paper SPE10687) SPEJ June, 83 447-455

Yen, T. F. and Sharma, M. M.: *A Thermodynamic Model for Low Interfacial Tensions in Alkaline Flooding*, (Tech. Paper SPE10590) SPEJ Feb., 83 125-134

Yortsos, Y. C. and Fokas, A. S.: *An Analytical Solution for Linear Waterflood Including the Effects of Capillary Pressure*, (Tech. Paper SPE9407) SPEJ Feb., 83 115-124

Young, L. C. and Stephenson, R. E.: *A Generalized Compositional Approach for Reservoir Simulation*, (Tech. Paper SPE10516) SPEJ Oct., 83 727-742

Subject Index

A

Acidizing
Sandstone formations: with fluoboric acid, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72

Adsorption
In porous media: vapor-pressure lowering: geothermal systems, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167

Afterflow
During pulse test: method to account for at pulsing well, (Forum SPE 11318) SPEJ Jun. 83, 519-520

Alaska
Crude oils and caustic solutions: static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Prudhoe Bay field: rheological properties: effects of prolonged flow interruption on its flow behavior, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416

Algorithm
Multigrid: solution of pressure equation in reservoir simulation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632
Robust iterative method for flash calculations: using Soave-Redlich-Kwong or Peng-Robinson equation of state, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530
Sparse-elimination: benchmarking routine on Cyber 205 and Cray 1-S, (Forum SPE 10526) SPEJ Oct. 83, 743-745

Alkaline Flooding
Divalent ion exchange, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668
Low interfacial tensions in: thermodynamics model for, (Tech. Paper SPE 10590) SPEJ Feb. 83, 125-134
Model for interfacial activity: acidic crude oil/caustic systems, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612

Analytical Methods
Solution for linear waterflood including effects of capillary pressure, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124

Annulus
Vertical: drilling cuttings transport using common drilling muds; experimental study, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20

Antioxidant
Use: and polymer degradation; biopolymer solution viscosity stabilization, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Athabasca Oil Sands
Stability of aqueous wetting films, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258

B

Biopolymer
Solution viscosity stabilization: polymer degradation and, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Bits
Hydraulic configurations: optimization of, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32

Blob Size
And detailed structure of residual oil saturation, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326

Boundary Conditions
At subsurface pump: an improved model for sucker rod pumping, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41

Brines
And oil: high solubilization of; rules for achieving by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Coexisting with a microemulsion: equilibrium of, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Hot: stability; sand-consolidation resins, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248
Oilfield: study of solubility of strontium sulfate, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300
Surfactant/oil interaction: three parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682

Buckley-Leverett
Problem: collocation simulation of multiphase porous-medium flow, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142

C

California
Crude oils and caustic solutions: static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Kern River field: linear and radial steam flow; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Wilmington field: divalent ion exchange with alkali, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668

Canada
Wabasca tar sand: steamflooding through, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98

Capacity
Cation-exchange: semiautomated method for determination of reservoir rocks, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237

Capillarity
Cause of vapor-pressure lowering: geothermal systems, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167

Capillary Flow
Of residual oil: mobilization under equilibrium and nonequilibrium conditions, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790

Capillary Pressure
Effect on linear waterflood: analytic solution for, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124

Carbon Dioxide
Crude oil mixtures: equilibrium phase compositions; Part 2, comparison of continuous multiple-contact and slim-tube displacement tests, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291
Displacement of residual oil with: physically scaled model studies simulating, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446

Flooding: evaluation of high-pour-point, paraffinic Red Wash reservoir oil, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594
Flooding: multiple-contact miscible displacements; effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Flooding: multiple-phase generation during, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601
Gas channeling: rheology of mobility-control foams, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Hydrocarbon mixtures: equilibrium phase compositions; Part 1, measurement by continuous multiple-contact experiment, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280

Cations
Exchange-capacity determination: semiautomated method for reservoir rocks, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237

Caustic
Acidic crude oil systems: for alkaline flooding; model for interfacial activity, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
Solution: and crude oils; static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656

Characterization
Of surfactants: using scaling law interpretation of coreflood residual oil saturation profiles, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518

Chemical Flooding
Coreflood residual oil saturation profiles: scaling law interpretation of; use in characterization of surfactants, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Numerical study of: comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Oil recovery effectiveness: rules for achieving high solubilization of brine and oil by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Surfactants: effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Surfactants: evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
Using Pennsylvania State U. surfactants: generation of ultralow tensions over a wide EACN range, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80

Chemicals
Mathematical: for sucker rod pumping, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41

Clays
Dispersion: water sensitivity of sandstones, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64

Coatings
For pipelines: underground and submerged; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828

Composition
Ore: and leaching performance; in-situ leaching of south Texas uranium ores; laboratory studies, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386

Computers
Cyber 205 and Cray 1-S: benchmarking a sparce elimination routine, (Forum SPE 10526) SPEJ Oct. 83, 743-745

Conductivity
Infinite: modeling vertical fractures with source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Vertically fractured wells: influence of fracture heterogeneity and wing length on response, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230

Configuration
Bit hydraulics: optimization of, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32

Coning
Behavior: of single well in naturally fractured reservoir; numerical simulation, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
Gas-water: reservoir simulation; use of adaptive simulation method, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768

Controls
Mobility: rheology of foams, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Sand: stability in hot brines of consolidation resins, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248

Convection
Dispersion equation: multidimensional numerical dispersion, (Tech. Paper SPE 9018) SPEJ Feb. 83, 143-151

Cores
Residual oil saturation profiles: characterization of surfactants using scaling law interpretation of, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Sandstone: acidizing formations with fluoboric acid, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72
Surfactant flooding of: effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510

Correlations
Fluid properties: use in generalized compositional approach for reservoir simulation, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742
Of crude oil steam distillation yields with basic crude oil properties, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945

Corrosion
Protection: coatings for underground and submerged pipeline; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828

Crude Oils
Acidic: and caustic systems for alkaline flooding; model for interfacial activity, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
And caustic solutions: static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Basic properties: correlation with crude oil steam distillation yields, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945
CO2 mixtures: equilibrium phase compositions; Part 2, comparison of continuous multiple-contact and slim-tube displacement tests, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291
Steam distillation of, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271

Currents
Estimated: in Mississippi delta region, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183

Cuttings
Transport using common drilling muds: experimental study, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20

Cylinders
Inclined circular: wind tunnel tests, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196

D

Damage
Removal: sandstone formations; by acidizing with fluoboric acid, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72

Degradation
Mechanical: effect on injectivity of polyacrylamide solutions, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485
Of polymers: and antioxidant use; biopolymer solution viscosity stabilization, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Delta Area
See Mississippi, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183

Design
Bit: optimization of hydraulic configurations, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32
Continuous-flow gas lift: new concept, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890

Differential Pressure
At point of injection: continuous-flow gas lift; new concept in design, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890
Interpretation: laboratory surfactant/polymer displacements, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803

Diffraction
Wave: forces on large offshore structures, (Tech. Paper SPE 11334) SPEJ Feb. 83, 184-190

Dispersion
Multidimensional numemrical, (Tech. Paper SPE 9018) SPEJ Feb. 83, 143-151
Of H2S from alkaline muds: generalized theory, (Tech. Paper SPE 10176) SPEJ Apr. 83, 365-376

Displacement
Surfactant/polymer: interpretation of differential pressure; laboratory study, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803
Tests: comparison of continuous multiple contact and slim tube methods; equilibrium phase compositions of CO2/crude oil mixtures, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291

Distillation
Steam: of crude oils, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271
Yields: crude oil steam; correlation with basic crude oil properties, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945

Distribution
Molar: characterizing hydrocarbon plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694

Drainage
Of aqueous foams: generation-pressure and cell-size effect, (Forum SPE 10533) SPEJ Feb. 83, 152-154

Drilling Fluids
Alkaline muds: evolution and dispersion of H2S from, (Tech. Paper SPE 10176) SPEJ Apr. 83, 365-376
Aqueous foams: drainage of; generation-pressure and cell-size effects, (Forum SPE 10533) SPEJ Feb. 83, 152-154
Drilled cuttings transport: experimental study using common muds, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20

Dynamics
Of interfacial tensions: between crude oils and caustic solutions, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656

E

Efficiency
Oil-recovery: effect of live crude on; surfactant flooding system, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510

Enhanced Recovery
Alkaline flooding: model for interfacial activity of acidic crude oil/caustic systems, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
Alkaline flooding: static and dynamnic interfacial tensions between crude oils and caustic solutions, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Carbon dioxide flooding: multiple-phase generation during, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601
Chemical flooding: numerical study; comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Effectiveness: rules for achieving high solubilization of brine and oil by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Equilibrium of microemulsion that coexists with oil or brine, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Gas mobility control: rheology of foams, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Microemulsions: surfactant/oil/brine interaction; three-parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Miscible gas displacements: multiple contact; effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Oil systems: preliminary experimental results of high-pressure nitrogen injection, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
Surfactant flooding: effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Surfactant flooding: evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
With chemical additives: divalent ion exchange with alkali, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668

Enzymatic Treatments
Used to eliminate xanthan microgels, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91

Equations of State
Predictions: characterizing hydrocarbon plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694
Soave-Redlich-Kwong or Peng-Robinson: robust iterative method for flash calculations, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530

Equilibrium
And nonequilibrium conditions: mobilization of residual oil, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790
Of microemulsion that coexists with oil or brine, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Phase compositions: CO2/hydrocarbon mixtures; Part 1, measurement by continuous multiple-contact experiments, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280
Vapor-liquid: flash calculations; robust iterative method; using Soave-Redlich-Kwong or Peng-Robinson equation of state, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530

Equipment
Design: for study of solubility of strontium sulfate, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300
Offshore structures: steep wave forces on large ones, (Tech. Paper SPE 11334) SPEJ Feb. 83, 184-190
Platform offshore: ultrasonic global inspection technique for K-joint, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364
Spinning drop apparatus: modified method for high-temperature interfacial tension measurements, (Forum SPE 9003) SPEJ Feb. 83, 155-156

Equivalent Alkane Carbon Number
In surfactant flooding systems: effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Screening of microemulsions for EOR: three-parameter representative of surfactant/oil/brine interaction, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Wide range: generation of ultralow tensions over; using Pennsylvania State U. surfactants, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80
Evaluations
Carbon dioxide flooding: of high-pour-point, paraffinic Red Wash Reservoir oil, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594
Of coating: for underground and submerged pipelines; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828
Of salinity gradient concept: surfactant flooding, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
Evolution
Of H2S from alkaline muds: generalized theory, (Tech. Paper SPE 10176) SPEJ Apr. 83, 365-376

F

Far East
Reservoir analysis: by neutron-induced gamma ray spectroscopy, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564
Field Applications
Neutron-induced gamma ray spectroscopy for reservoir analysis, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564
Of new enzymatic treatments: for elimination of xanthan microgels, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91
Field Tests
Afterflow at pulsing well: method to account for during pulse tests, (Forum SPE 11318) SPEJ Jun. 83, 519-520
Well pressure behavior: naturally fractured reservoir(Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
Films
Aqueous wetting: stability of; Athabasca tar sands, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258
Finite Difference Method
In geothermal reservoir simulation: using nonequilibrium thermodynamics, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622
Modeling infinite-conductivity vertical fractures: using source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Multidimensional numerical dispersion, (Tech. Paper SPE 9018) SPEJ Feb. 83, 143-151
Sensitivity study of effect of parameters on results: in-situ combustion simulator, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264
Finite Element Method
Collocation simulation: multiphase porous-medium flow, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142
Flash Vaporization
Calculations: robust iterative method; using Soave-Redlich-Kwong or Peng-Robinson equation of state, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530
Fluid Flow
Across bit: optimization of hydraulic configurations, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32
Behavior: Prudhoe Bay oil; rheological properties and effects of prolonged flow interruption, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416
Boundary layer: in Mississippi delta region, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183
Fractured reservoir: simulation of, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54
Internally in geothermal wells: their identification and effect on wellbore temperature and pressure profiles, (Tech. Paper SPE 10317) SPEJ Feb. 83, 168-176
Linear and radial steam flow: oil reservoirs; calculation methods, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Multiphase: collocation simulation in porous medium, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142
Multiphase: improvements in simulation of naturally fractured reservoirs, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707
Porous media: noncircular pore throat; trapping of oil drops and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Fluoboric Acid
Acidizing sandstone formations, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72
Foams
Aqueous: drainage of; generation-pressure and cell-size effect, (Forum SPE 10533) SPEJ Feb. 83, 152-154
Mobility-control: rheology of, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Formation Evaluation
By neutron-induced gamma ray spectroscopy, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564
Formation Fractures
Hydraulic: three dimensional; propagation in presence of stress variations, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878
Naturally occurring: well pressure behavior (Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
Naturally: coning behavior of single well; numerical simulation, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
Naturally: improvements in simulation of reservoirs, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707
Of unequal wing length: influence on response of vertically fractured wells, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230
Penetration of a fracture through an interface, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
Reservoir simulation, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54
Steam-heated: temperature observations and steam-zone rise in vicinity of, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586
Vertical: modeling infinite-conductivity type with source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Fractured Reservoirs or Fracturing
Naturally: coning behavior of single well in; numerical simulation, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
Fractures
Hydraulic: three-dimensional: propagation in presence of stress variations, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878

G

Gamma Rays
Neutron-induced spectroscopy: for reservoir analysis, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564

Gas Injection
In continuous-flow gas lift: new concept in design, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890
Gas Lift
Continuous flow: new concept in design, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890
Gas Reservoirs
Low-permeability laboratory measurements: by nonsteady state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
Nonstatic pressure history analyses, (Tech. Paper SPE 10356) SPEJ Apr. 83, 209-218
Gases
Multiple-contact miscible displacements: effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Gel Strength
Simulator: used to study oil wedge phenomenon, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
Gels
Polyacrylamide/Cr+3: rheological monitoring of formation of, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808
Geothermal Reservoir
Simulation: using nonequilibrium thermodynamics, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622
Vapor-pressure lowering, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167
Geothermal Wells
Internal flows in: their identification and effect on wellbore temperature and pressure profiles, (Tech. Paper SPE 10317) SPEJ Feb. 83, 168-176
Gravity
Tonguing: in study of oil wedge phenomenon; use of chemical flood simulator, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
Ground Water
Effect with pH modification on quality of leachate from simulated in-situ retorted shale: Hell's Hole Canyon, Utah, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818

H

Hell's Hole Canyon
See Utah, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Heterogeneity
Influence on response of vertically fractured wells, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230
Macroscopic and microscopic: magnitude and detailed structure of residual oil saturation, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326
Naturally fractured reservoir: well pressure behavior (Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
High Pressure
Nitrogen injection: for EOR systems; preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
History
Nonstatic pressure analyses: gas reservoirs, (Tech. Paper SPE 10356) SPEJ Apr. 83, 209-218
Hydrocarbons
CO2 mixtures: equilibrium phase compositions; Part 1, measurement by continuous multiple-contact experiment, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280
Characterizing plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694
Hydrogen Sulfide
Evolution and dispersion of: from alkaline muds; generalized theory, (Tech. Paper SPE 10176) SPEJ Apr. 83, 365-376

I

Illinois
Crude oils and caustic solutions: static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Implicit Iterative Procedure
Use in reservoir simulation, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768
Injection
Gas/water:in multiple-contact miscible gas displacements; effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Gas: in continuous-flow gas lift; new concept in design, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890
High-pressure nitrogen: for EOR systems; preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
Injection Wells
Water: comparative study of characteristics and susceptibility of pattern-type networks: viewpoint of balanced waterfloods, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900
Injectivity
Of polyacrylamide solutions: effects of mechanical degradation and viscoelastic behavior, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485
Inspection
For an offshore K-joint: ultrasonic global technique, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364
Interfaces
Fracture penetration through, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
Interfacial Tension
Effect on trapping of oil drops in a noncircular pore throat and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Low: in alkaline flooding; thermodynamic model for, (Tech. Paper SPE 10590) SPEJ Feb. 83, 125-134
Measurement by modified spinning drop method: high-temperature application, (Forum SPE 9003) SPEJ Feb. 83, 155-156
Of acidic crude oil/caustic systems: model for alkaline flooding, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
Of microemulsion that coexists with oil or brine: equilibrium of, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Static and dynamic: between crude oils and caustic solutions, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Ultralow: generation over a wide EACN range using Pennsylvania State U. Surfactants, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80
Interpretation
Of differential pressure: laboratory surfactant-polymer displacement, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803
Of well-block pressures: numerical reservoir simulation with nonsquare grid-blocks and anisotropic permeability, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543
Scaling law: use in characterization of surfactants; coreflood residual oil saturation profiles, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Ions
Adsorbed ammonium: oxidative removal with sodium hypochlorite; in-situ leaching of south Texas uranium ores, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396
Divalent exchange: with alkali, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668

Iteration
Multigrid solution of linear systems: pressure equation in reservoir simulation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632
Newton-Raphson method: generalized compositional approach for reservoir simulation, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742
Robust method: for flash calculations; using Soave-Redlich-Kwong or Peng-Robinson equation of state, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530

J

Joints
Offshore K-type: ultrasonic global inspection technique, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364

K

Kern River Field
See California, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

L

Laboratory Studies
Acidizing sandstone formations with fluoboric acid, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72
Anionic and nonionic surfactant mixtures: phase partitioning of, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Basic crude oil properties and steam distillation yields: correlation of, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945
Bit hydraulic configurations: optimization of, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32
Carbon dioxide flooding: evaluation of high-pour-point, paraffinic Red Wash reservoir oil, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594
Carbon dioxide flooding: multiple-phase generation during, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601
Cation-exchange capacity determination: semiautomated method for reservoir rocks, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237
Characterization of surfactants: using scaling law interpretation of coreflood residual oil saturation profiles, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Displacement of residual oil by miscible fluids: physically scaled model studies simulating, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Drainage of aqueous foams: generation-pressure and cell-size effect, (Forum SPE 10533) SPEJ Feb. 83, 152-154
Drilled cuttings transport using common drilling muds, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20
Effect of groundwater and pH modification on quality of leachate: simulated in-situ retorted Utah oil shale, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Equilibrium phase composition of CO2/hydrocarbon mistures: Part 1, measurement by continuous multiple-contact experiment, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280
Equilibrium phase compositions of CO2/crude oil mixtures: Part 2, comparison of continuous multiple-contact and slim-tube displacement tests, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291
Fracture penetration through an interface, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
High-pressure nitrogen injection for EOR systems; preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
Interfacial tension measurements: modified spinning drop method for high-temperature applications, (Forum SPE 9003) SPEJ Feb. 83, 155-156
Linear and radial steam flow: oil reservoirs, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Low-permeability measurements: by nonsteady-state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
Miscible gas displacements: multiple contact; effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Mobility-control foams: rheology of, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
New enzymatic treatments: for elimination of xanthan microgels, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91
Of oil wedge phenomenon: use of chemical flood simulator, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
Of phase behavior of simple salt-tolerant sulfonates, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918
Ore composition and leaching performance: in-situ leaching of south Texas uranium ores, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386
Oxidative removal of adsorbed ammonium ions with sodium hypochlorite: in-situ leaching of south Texas uranium ores, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396
Polyacrylamide/Cr+3 gels: rheological monitoring of formation of, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808
Residual oil mobilization: under equilibrium and nonequilibrium conditions, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790
Residual oil saturation: magnitude and detailed structure, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326
Rheological properties and effects of prolonged flow interruption on its flow behavior: Prudhoe Bay oil, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416
Solubility of strontium sulfate, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300
Static and dynamic interfacial tensions: between crude oils and caustic solutions, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Steam distillation of crude oils, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271
Steam injection: tests on heavy oil recovery, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426
Sulfonate retention and residual oil saturation: achieved by miscellar/polymer process, (Tech. Paper SPE 10343) SPEJ Apr. 83, 349-357
Surfactant flooding systems; effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Surfactant flooding: evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
Surfactant/polymer displacements: interpretation of differential pressure, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803
Trapping of oil drops in a noncircular pore throat and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Water sensitivity of sandstones, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64

Laplace Equation
Use in solving fracture penetration through an interface, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
Leaching
In-situ: south Texas uranium ores; Part 1, laboratory studies of ore composition and leaching performance, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386
In-situ: south Texas uranium ores; Part 2, oxidative removal of adsorbed ammonium ions with sodium hypochlorite, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396
Retorted Utah oil shale: effect of groundwater and pH modification on quality of; simulation, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Log Interpretation
Cation-exchange-capacity determination: semiautomated method for reservoir rocks, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237

M

Material Balance
Calculations: gas reservoirs; nonstatic pressure history analyses, (Tech. Paper SPE 10356) SPEJ Apr. 83, 209-218
Mathematics
Infinite-conductivity vertical fractures: modeling with source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Measurement
By continuous multiple-contact experiment; equilibrium phase compositions of CO2/hydrocarbon mixtures, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280
Laboratory: of low permeability; by nonsteady-state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
Mechanical Properties
Degradation: effect on injectivity of polyacrylamide solutions, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485
Micellar Systems
Displacement data: numerical study of chemical flooding; comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Flooding process with alkali: divalent ion exchange, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668
Sulfonate retention and residual oil saturation achieved, (Tech. Paper SPE 10343) SPEJ Apr. 83, 349-357
Microemulsions
Coexisting with oil or brine: equilibrium of, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Formulations: with simple salt-tolerant sulfonates; phase behavior of, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918
Phase behavior: partitioning of anionic and nonionic surfactant mixtures, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Phase behavior: surfactant/oil/brine interaction; three-parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Microgels
Xanthan: elimination by new enzymatic treatments, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91
Middle East
Reservoir analysis: by neutron-induced gamma ray spectroscopy, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564
Miscible Displacement
Carbon dioxide flooding: evaluation of high-pour-point, paraffinic reservoir oil; Red Wash field, Utah, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594
Carbon dioxide flooding: multiple-phase generation during, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601
Gas flooding: multiple contact; effects of mobile water, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Nitrogen flooding: high-pressure injection for EOR systems; preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
Of residual oil by miscible fluids: physically scaled model studies simulating the displacement, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Mississippi
Delta region: bottom furrows and estimated currents, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183
Mixtures
Anionic and nonionic surfactant: phase partitioning of, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
CO2/hydrocarbon: equilibrium phase compositions; Part 1, measurement by continuous multiple-contact, (Tech. Paper SPE 10726) SPEJ Apr. 83, 272-280
Mobility
Control: rheology of foams, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Control: surfactant/polymer displacements; interpretation of differential pressure in laboratory, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803
Mobilization
Of residual oil: equilibrium and nonequilibrium conditions, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790
Models
Bottom process: furrows and estimated currents in Mississippi delta region, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183
Compositional: generalized approach for reservoir simulation, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742
Coning simulation: behavior of single well; naturally fractured reservoir, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
For interfacial activity of acidic crude oil/caustic systems; alkaline flooding, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
For predicting strontium sulfate scaling potential in oilfields, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300
From ocean test structure: wind tunnel tests of inclined circular cylinders, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196
Gradient flow: well pressure behavior; naturally fractured reservoir (Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
Gridblocks in radial flow: reservoir simulation: use of adaptive simulation method, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768
In-situ combustion simulator: sensitivity study of effect of parameters on results, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264
Infinite-conductivity vertical fractures: with source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Injectivity: of polyacrylamide solutions; effects of mechanical degradation and viscoelastic behavior, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485
Kinetic: of interfacial tensions between crude oils and caustic solutions, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656
Linear: for optimal reservoir production scheduling, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726

Numerical: of chemical flooding; comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Numerical: response of vertically fractured wells; influence of fracture heterogeneity and wing length, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230
Of stress-dependent permeability: microcracks in tight gas sandstone, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927
Physical and mathematical: water sensitivity of sandstones, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64
Physically scaled: studies simulating displacement of residual oil by miscible fluids, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Pore: magnitude and detailed structure of residual oil saturation, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326
Probabilistic: characterizing hydrocarbon plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694
Scaled tests: steamflooding Wabasca tar sand through bottomwater zone, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98
Simulating North Sea fields: efficient fully implicit simulator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552
Thermodynamic: for low interfacial tensions in alkaline floodinig, (Tech. Paper SPE 10590) SPEJ Feb. 83, 125-134
Three dimensional, three phase: fractured reservoir simulation, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54
Three-dimensional hydraulic fractures: propagation in presence of stress variations, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878
Two-porosity: simulation of naturally fractured reservoirs, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707

Mohole
Linear, one dimensional: analytical solution for linear waterflood including effects of capillary pressure, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124

Monitoring
Rheological: of formation of polyacrylamide/Cr+3 gels, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808

Mud Systems
Alkaline: evolution and dispersion of H2S: generalized fluid, (Tech. Paper SPE 10176) SPEJ Apr. 83, 365-376

Multigrid Methods
For solution of pressure equation in reservoir simulation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632

N

Natural Gas
Evaluation of tight reservoirs: low-permeability laboratory measurements; by nonsteady state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
In tight sandstone: microcrack permeability in, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927

Netherlands
Schoonebeek field: linear and radial steam flow; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

Nitrogen
Flooding: high-pressure injection for EOR systems; preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348

North Sea
Fields: modeling with efficient fully implicit simulator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552

Nuclear Logging
Neutron-induced gamma ray spectroscopy: for reservoir analysis, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564

Numerical Solutions
Adaptive implicit method: use in reservoir simulation, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768
Behavior of sucker rod pumping installations: an improved model for, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41
Chemical study of: comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Collocation simulation: multiphase porous-medium flow, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142
Equations of state: characterizing hydrocarbon plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694
For linear waterflood including the effects of capillary pressure, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124
Fractured reservoir simulation, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54
General compositional approach for reservoir simulation, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742
Geothermal reservoir simulation: using nonequilibrium thermodynamics, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622
Linear and radial steam flow: oil reservoirs, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Low interfacial tensions in alkaline flooding: thermodynamic model, (Tech. Paper SPE 10590) SPEJ Feb. 83, 125-134
Low-permeability measurements: by nonsteady state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
Microcrack permeability in tight gas sandstone, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927
Multidimensional dispersion, (Tech. Paper SPE 9018) SPEJ Feb. 83, 143-151
Multigrid solution of pressure equation: reservoir simulation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632
Nonstatic pressure history analyses: gas reservoirs, (Tech. Paper SPE 10356) SPEJ Apr. 83, 209-218
Of characteristics and susceptibility of pattern-type water-injection well networks: comparative study from viewpoint of balanced waterfloods, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900
Of fracture penetration through an interface, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
Optimal reservoir production scheduling: using simulation model, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726
Reservoir simulation: with nonsquare grid blocks and anisotropic permeability; interpretation of well-block pressures, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543
Response of vertically fractured wells: influence of fracture heterogeneity and wing length, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230
Simulation of coning behavior: single well in naturally fractured reservoir, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
Simulation of naturally fractured reservoirs: improvements in, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707
Steep wave forces: large offshore structures, (Tech. Paper SPE 11334) SPEJ Feb. 83, 184-190
Surfactant flooding: evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500

Temperature observations and steam-zone rise: in vicinity of steam-heated fracture, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586
Three-dimensional hydraulic fractures: propagation in presence of stress variations, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878
Water sensitivity of sandstones, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64
Well pressure behavior: naturally(Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
With efficient fully implicit simulator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552

O

Offshore
K-joint: ultrasonic global inspection technique for, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364
Mississippi delta region: bottom furrows and estimated currents, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183
Structures: steep wave force on large ones, (Tech. Paper SPE 11334) SPEJ Feb. 83, 184-190
Structures: wind tunnel tests of inclined circular cylinders, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196
Oil
Coexisting with a microemulsion: equilibrium of, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Drops: trapping in a noncircular pore throat and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Residual: mobilization under equilibrium and nonequilibrium conditions, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790
Surfactant/oil interaction: three parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Wedge phenomenon: study through use of chemical flood simulator, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
Oil Properties
Basic crude: correlation with crude oil steam distillation yields, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945
Oil Recovery
By steam injection: laboratory tests on heavy oil, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426
By waterflooding: addition of anionic and nonionic surfactant mixtures; phase partitioning, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Effectiveness: rules for achieving high solubilization of brine and oil by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Efficiency: effect of live crude on; surfactant flooding system, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Enhancing by high-pressure nitrogen injection: preliminary experimental results, (Tech. Paper SPE 10273) SPEJ Apr. 83, 339-348
Predicting performance in coreflood experiments: sulfonate retention and residual oil saturation, (Tech. Paper SPE 10343) SPEJ Apr. 83, 349-357
Oil Reservoirs
Simulating with an efficient fully implicit simulator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552
Steam flow in: linear and radial cases; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Oil Saturation
Coreflood residual profiles: characterization of surfactants using scaling law interpretation, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Residual: displacement by miscible fluids; physically scaled model studies simulating, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Residual: laboratory tests on heavy oil recovery by steam injection, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426
Residual: magnitude and detailed structure, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326
Residual: sulfonate retention, (Tech. Paper SPE 10343) SPEJ Apr. 83, 349-357
Oil Shales
In-situ retorted: Utah; effect of groundwater and pH modification on quality of leachate from simulation, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Optimization
Of bit hydraulic configurations, (Tech. Paper SPE 10240) SPEJ Feb. 83, 21-32
Optimizing Techniques
For reservoir production scheduling: using reservoir simulation, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726
Oxidation
Removal of adsorbed ammonium ions with sodium hypochlorite: in-situ leaching of south Texas uranium ores, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396

P

Parameters
Effect on results from an in-situ combustion simulator: sensitivity study, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264
Penetration
Of a fracture: through an interface, (Tech. Paper SPE 10372) SPEJ Dec. 83, 857-869
Pennsylvania
State U.: generation of ultralow tensions over a wide EACN range using PSU surfactants, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80
Permeability
Anisotropic: in numerical reservoir simulation; interpretation of well-block pressures, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543
Control: polyacrylamide/Cr+3 gels: rheological monitoring of formation of, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808
Low: laboratory measurements; by nonsteady-state and conventional methods, (Tech. Paper SPE 10075) SPEJ Dec. 83, 928-936
Microcrack: in tight gas sandstone, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927
Phase Behavior
Brine/oil/surfactant system: rules for achieving high solubilization by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Effect of live crude on: surfactant flooding system, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Equilibrium compositions: CO2/crude oil mixtures; Part 2, comparison of continuous multiple-contact and slim-tube displacement tests, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291
Flash calculations: robust iterative method; using Soave-Redlich-Kwong or Peng-Robinson equation of state, (Tech. Paper SPE 8285) SPEJ Jun. 83, 521-530
High-pour-point, paraffinic reservoir oil: carbon dioxide flooding evaluation; Red Wash field, Utah, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594

In trapping of oil drops: in noncircular pore throat; and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Microemulsions: surfactant/oil/brine interaction; three-parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Multiple: generation during carbon dioxide flooding, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601
Of microemulsion that coexists with oil or brine: equilibrium of, (Tech. Paper SPE 10728) SPEJ Oct. 83, 829-847
Of simple salt-tolerant sulfonates, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918
Partitioning of anionic and nonionic surfactant mixtures, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Prediction: in steam distillation of crude oils, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271
Reservoir simulation: generalized compositional approach, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742

Physical Properties
Petroleum fractions: characterizing hydrocarbon plus fractions, (Tech. Paper SPE 12233) SPEJ Aug. 83, 683-694

Pipelines
Coatings: underground and submerged; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828
Trans Alaska: rheological properties of Prudhoe Bay oil; effects of prolonged flow interruption on its flow behavior, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416

Platforms
Offshore K-joint: untrasonic global technique, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364

Polyacrylamide
Cr+3 gels: rheological monitoring of formation of, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808
Solution injectivity: effects of mechanical degradation and viscoelastic behavior, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485

Polymers
Degradation: and antioxidant use; biopolymer solution viscosity stabilization, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912
Flooding process with alkali: divalent ion exchange, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668
Flooding: effects of mechanical degradation and viscoelastic behavior on injectivity of polyacrylamide solutions, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485
Surfactant displacements: interpretation of differential pressure; laboratory study, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803

Polysaccharase
Treatments: for elimination of xanthan microgels, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91

Polysaccharide
Degradation mechanism. and antioxidant use; biopolymer solution viscosity stabilization, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Pore Size Distribution
Porous media: magnitude and detailed structure of residual oil saturation, (Tech. Paper SPE 10681) SPEJ Apr. 83, 311-326

Porous Media
Collocation simulation of multiphase flow, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142
Noncircular pore throat: trapping of oil drops and mobilization upon contact with a surfactant, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114
Vapor pressure lowering: geothermal systems, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167

Pour Point
High: evaluation of carbon dioxide flooding; paraffinic Red Wash reservoir oil, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594

Pressure Behavior
Autoclave: drainage of aqueous foams; generation-pressure and cell-size effects, (Forum SPE 10533) SPEJ Feb. 83, 152-154
Equation in reservoir simulation: multigrid solution of, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632
In well-block: interpretation of; numerical reservoir simulation with nonsquare grid blocks and anisotropic permeability, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543
Nonstatic history analyses: gas reservoirs, (Tech. Paper SPE 10356) SPEJ Apr. 83, 209-218
Response of vertically fracatured wells: influence of fracture heterogeneity and wing length, (Tech. Paper SPE 9886) SPEJ Apr. 83, 219-230
Well in naturally fractured reservoir (Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780

Pressure Transients
Pulse tests: method to account for afterflow at pulsing well, (Forum SPE 11318) SPEJ Jun. 83, 519-520
Wellbore: effect of internal flows in geothermal wells, (Tech. Paper SPE 10317) SPEJ Feb. 83, 168-176

Production
Optimal reservoir scheduling: using reservoir simulation, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726

Propagation
Of three-dimensional hydraulic fracture: in presence of stress variations, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878

Propane Slug
Geothermal: using nonequilibrium thermodynamics, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622

Prudhoe Bay Field
See Alaska, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416

Pulse Testing
Afterflow: at pulsing well; method to account for, (Forum SPE 11318) SPEJ Jun. 83, 519-520

Pumping Wells
Sucker rods: an improved model for, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41

R

Red Wash Field: See Utah
See Utah, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594

Reservoir Analysis
Neutron-induced gamma ray spectroscopy for, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564

Reservoir Engineering
Afterflow at pulsing well: method to account for during pulse tests, (Forum SPE 11318) SPEJ Jun. 83, 519-520
High solubilization of brine and oil by amphiphilic molecules: rules for achieving, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338

Reservoir Fluids
Oils displaced by CO2: multiple-phase generation during CO2 flooding, (Tech. Paper SPE 8812) SPEJ Aug. 83, 595-601

Reservoir Rocks
Cation-exchange-capacity determination: semiautomated method, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237

Reservoir Simulation
Collocation: of multiphase porous-medium flow, (Tech. Paper SPE 10555) SPEJ Feb. 83, 135-142
Fractured formation, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54
Generalized compositional approach for, (Tech. Paper SPE 10516) SPEJ Oct. 83, 727-742
Modeling infinite conductivity vertical fractures: with source and sink terms, (Tech. Paper SPE 10507) SPEJ Aug. 83, 633-644
Multidimensional numerical dispersion, (Tech. Paper SPE 9018) SPEJ Feb. 83, 143-151
Multigrid solution of the pressure equation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632
Numerical: with nonsquare grid blocks and anisotropic permeability; interpretation of well-block pressures, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543
Optimal reservoir production scheduling by using, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726
Use in solving linear equations: Cyber 205 and Cray 1-S; benchmarking a sparse elimination routine, (Forum SPE 10526) SPEJ Oct. 83, 743-745
Using an adaptive implicit method, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768
With efficient fully implicit simulator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552

Reservoirs
Heterogeneous: improvements in simulation of naturally fractured type, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707
Simulation of fractured type, (Tech. Paper SPE 9305) SPEJ Feb. 83, 42-54

Residual Oil
Mobilization of: under equilibrium and nonequilibrium conditions, (Tech. Paper SPE 10198) SPEJ Oct. 83, 781-790

Resins
Sand consolidation: their stability in hot brine, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248

Restoration
Formation: in in-situ leaching of south Texas uranium ores; Part 2, oxidative removal of adsorbed ammonium ions with sodium hypochlorite, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396

Retorting
In-situ Utah oil shale: simulation; effect of groundwater and pH modification on quality of leachate, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818

Rheology
Monitoring of formation of polyacrylamide/Cr+3 gels, (Tech. Paper SPE 10948) SPEJ Oct. 83, 804-808
Of mobility-control foams, (Tech. Paper SPE 9809) SPEJ Jun. 83, 456-460
Properties: Prudhoe Bay oil; effects of prolonged flow interruption on its flow behavior, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416

S

Salinity
Gradient concept: evaluation in surfactant flooding, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500

Salt Content
Tolerant for simple sulfonates: phase behavior of, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918

Sand
Athabasca: stability of aqueous wetting films, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258
Tight gas: semiautomated method for cation-exchange-capacity determination; reservoir rocks, (Tech. Paper SPE 9873) SPEJ Apr. 83, 231-237

Sand Control
Consolidation resins: their stability in hot brines, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248

Sandstone
Acidizing formations with fluoboric acid, (Tech. Paper SPE 9387) SPEJ Feb. 83, 65-72
Tight gas: microcrack permeability in, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927
Water sensitivity of, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64

Saturation
Measurement of residual oil: characterization of surfactants using scaling law interpretation of coreflood profiles, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518

Scale
Prediction: study of solubility of strontium sulfate, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300

Scaling
Law: interpretation of coreflood residual oil saturation profiles; use in characterization of surfactants, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518

Scheduling
Optimal reservoir production: using reservoir simulation, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726

Schoonebeek Field, See Netherlands
See Netherlands, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

Secondary Recovery
In sandstones: water sensitivity of reservoir rock, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64
Linear waterflood: analytical solution including effect of capillary pressure, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124

Sediments
Bottom furrows: in Mississippi delta region, (Tech. Paper SPE 9749) SPEJ Feb. 83, 177-183

Selection
Of operating differential pressure: continuous-flow gas lift; new concept in design, (Tech. Paper SPE 8026) SPEJ Dec. 83, 885-890
Of optimal injection well pattern: comparative study of characteristics and susceptibility of water-injection well networks; viewpoint of balanced waterfloods, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900

Sensitivity Analysis
Study of effect of parameters on results: in-situ combustion simulator, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264

Simulation
Behavior of sucker rod pumping installations: an improved model for, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41
Chemical flood: study of oil wedge phenomenon through use of, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
Chemical flooding: numerical study; comparison with experiments, (Tech. Paper SPE 10202) SPEJ Jun. 83, 461-474
Displacement of residual oil by miscible fluids: physically scaled model studies, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Efficient fully implicit simuilator, (Tech. Paper SPE 11817) SPEJ Jan. 83, 544-552

In-situ combustion: sensitivity study of effect of parameters on results, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264
In-situ retorted Utah oil shale: effect of groundwater and pH modification on quality of leachate, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Methods: surfactant flooding; evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
Numerical: high solubilization of brine and oil by amphiphilic molecules, (Tech. Paper SPE 10676) SPEJ Apr. 83, 327-338
Numerical: temperature observations and steam-zone rise in vicinity of steam-heated fracture, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586
Numerically, of coning behavior: single well in naturally fractured reservoir, (Tech. Paper SPE 10566) SPEJ Dec. 83, 879-884
Of naturally fractured reservoir: improvements in, (Tech. Paper SPE 10511) SPEJ Aug. 83, 695-707
Of slim-tube displacements: comparison with continuous multiple-contact tests; equilibrium phase compositions of CO2/crude oil mixtures, (Tech. Paper SPE 10725) SPEJ Apr. 83, 281-291

Solubility
Optimal: simple salt-tolerant sulfonates: phase behavior of, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918

South America
Reservoir analysis: by neutron-induced gamma ray spectroscopy, (Tech. Paper SPE 9461) SPEJ Jun. 83, 553-564

Stability
Of aqueous wetting films: Athabasca tar sands, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258
Of sand-consolidation resins: in hot brine, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248

Stabilization Mechanism
Biopolymer solution viscosity: polymer degradation and antioxidant use, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Steam Drive
Distillation of crude oils, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271

Steam Injection
Heavy of recovery by: laboratory tests, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426
In steamflooding: correlation of crude oil steam distillation yields with basic crude oil properties, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945
Linear and radial flow: oil reservoirs; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

Stresses
Confining: effect on microcrack permeability; tight gas sandstone, (Tech. Paper SPE 10924) SPEJ Dec. 83, 919-927
Variations: three-dimensional hydraulic fracture propagation in presence of, (Tech. Paper SPE 10849) SPEJ Dec. 83, 870-878

Strontium Sulfate
Solubility study, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300

Submersible System
Pipelines: coating; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828

Sucker Rods
Pumping: an improved model for, (Tech. Paper SPE 10249) SPEJ Feb. 83, 33-41

Sulfonates
Retention: and residual oil saturation, (Tech. Paper SPE 10343) SPEJ Apr. 83, 349-357
Simple salt-tolerant sulfonates: phase behavior of, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918

Surfactants
Anionic and nonionic mixtures: phase partitioning, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Characterization of: using scaling law interpretation of coreflood residual oil saturation profiles, (Tech. Paper SPE 9780) SPEJ Jun. 83, 511-518
Flooding systems: effect of live crude on phase behavior and oil-recovery efficiency, (Tech. Paper SPE 10677) SPEJ Jun. 83, 501-510
Flooding: evaluation of salinity gradient concept, (Tech. Paper SPE 8825) SPEJ Jun. 83, 486-500
In study of oil wedge phenomenon: use of chemical flood simulator, (Tech. Paper SPE 10729) SPEJ Oct. 83, 746-758
In-Situ formation of: alkaline flooding; model for interfacial activity of acidic crude oil/caustic systems, (Tech. Paper SPE 10716) SPEJ Aug. 83, 602-612
Oil systems: interfacial tension measurements by spinning drop method: high-temperature applications, (Forum SPE 9003) SPEJ Feb. 83, 155-156
Oil/brine interaction: three parameter representation of, (Tech. Paper SPE 10678) SPEJ Aug. 83, 669-682
Pennsylvania State U. type: generation of ultralow tensions over a wide EACN range using, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80
Polymer displacements: interpretation of differential pressure; laboratory study, (Tech. Paper SPE 10713) SPEJ Oct. 83, 791-803
Simple salt-tolerant sulfonates: phase behavior of, (Tech. Paper SPE 10679) SPEJ Aug. 83, 913-918
Solution: effect on drainage of aqueous foams; generation-pressure and cell-size effects, (Forum SPE 10533) SPEJ Feb. 83, 152-154
Trapping of oil drops in a noncircular pore throat and mobilization upon contact, (Tech. Paper SPE 9404) SPEJ Feb. 83, 99-114

Susceptibility
And characteristics of pattern-type water-injection well networks: comparative study from viewpoint of balanced waterfloods, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900

T

Tar Sands
Athabasca: stability of aqueous wetting films, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258
Deposits: temperature observations and steam-zone rise in vicinity of a steam-heated fracture, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586
Wabasca: steamflooding through bottomwater zone; scaled model tests, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98

Temperature
Effect on rheological properties of Prudhoe Bay oil: and effects of prolonged flow interruption on its flow behavior, (Tech. Paper SPE 10557) SPEJ Jun. 83, 408-416
Elevated: coatings for underground and submerged pipelines, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828
High: modified spinning drop method for interfacial temperature measurements, (Forum SPE 9003) SPEJ Feb. 83, 155-156
Observations: and steam-zone rise in vicinity of steam-heated fracture, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586

Range: of vapor-pressure lowering in geothermal systems, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167
Wellbore: effect of internal flows in geothermal wells, (Tech. Paper SPE 10317) SPEJ Feb. 83, 168-176

Tertiary Recovery
Using Pennsylvania State U. surfactants generation of ultralow tensions over a wide EACN range, (Tech. Paper SPE 9784) SPEJ Feb. 83, 73-80

Testing
Adaptive implicit method: reservoir simulation, (Tech. Paper SPE 10120) SPEJ Oct. 83, 759-768
Cyber 205 and Cray 1-S: benchmarking a sparse elimination routine, (Forum SPE 10526) SPEJ Oct. 83, 743-745
Laboratory chemical leaching: uranium ore composition and in-situ leaching performance; south Texas ores, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386
Pipeline coatings: underground and submerged; operating at elevated temperatures, (Tech. Paper SPE 10448) SPEJ Oct. 83, 819-828
Pulse tests: method to account for afterflow at pulsing well, (Forum SPE 11318) SPEJ Jun. 83, 519-520
Sand consolidation resins: stability in hot brine, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248
Validation state: optimal reservoir production scheduling using reservoir simulation, (Tech. Paper SPE 11133) SPEJ Oct. 83, 717-726
Well pressure behavior: naturally fractured reservoir (Tech. Paper SPE 10782) SPEJ Oct. 83, 769-780
Wind tunnel: of inclined circular cylinders, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196
With problems: multigrid solution of pressure equation in reservoir simulation, (Tech. Paper SPE 10492) SPEJ Aug. 83, 623-632

Texas
South: in-situ leaching of uranium ore; Part 2, oxidative removal of adsorbed ammonium ion with sodium hypochlorite, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396
South: in-situ leaching of uranium ores; Part 1, laboratory studies of ore composition and leaching performance, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386

Thermal Recovery of Oil
In-situ combustion simulator: sensitivity study of effect of parameters on results, (Tech. Paper SPE 10764) SPEJ Apr. 83, 259-264
Linear and radial steam flow: oil reservoirs; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439
Steam distillation of crude oils, (Tech. Paper SPE 10070) SPEJ Apr. 83, 265-271
Steam injection: laboratory tests on heavy oil recovery, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426
Steam-heated fractures in tar sands: temperature observations and steam-zone rise in the vicinity of, (Tech. Paper SPE 9898) SPEJ Aug. 83, 575-586
Steamflooding: Wabasca tar sand through bottomwater zone; scaled model tests, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98
Steamflooding: correlation of crude oil steam distillation yields with basic crude oil properties, (Tech. Paper SPE 9943) SPEJ Dec. 83, 937-945

Thermodynamics
Model for analysis of crude oil/caustic interfaces: low interfacial tensions in alkaline flooding, (Tech. Paper SPE 10590) SPEJ Feb. 83, 125-134
Nonequilibrium: geothermal reservoir simulation using, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622

Tia Juana Field, See Venezuela
See Venezuela, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

Transports
Of drilled cuttings: using common drilling muds; experimental study, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20

Tubing
Movement, forces, and stresses: dual flow assembly installations, (Tech. Paper SPE 9625) SPEJ Apr. 83, 292-300

Tubular Goods
K-joint: offshore platform; ultrasonic global inspection technique, (Tech. Paper SPE 10354) SPEJ Apr. 83, 358-364

U

Uranium
Ores: in-situ leaching in south Texas; Part 1, laboratory studies of ore composition and leaching performance, (Tech. Paper SPE 10232) SPEJ Apr. 83, 377-386
Ores: in-situ leaching in south Texas; Part 2, oxidative removal of adsorbed ammonium ion with sodium hypochlorite, (Tech. Paper SPE 11670) SPEJ Apr. 83, 387-396

Utah
Hell's Hole Canyon: effect of groundwater and pH modification on quality of leachate; simulated in-situ oil shale, (Tech. Paper SPE 10628) SPEJ Oct. 83, 809-818
Red Wash field: carbon dioxide flooding; evaluation of high-pour-point, paraffinic reservoir oil, (Tech. Paper SPE 10272) SPEJ Aug. 83, 587-594

V

Vapor Pressure
Lowering: in geothermal systems, (Tech. Paper SPE 9926) SPEJ Feb. 83, 157-167

Vectors
Computer: Cyber 205 and Cray 1-S; benchmarking a sparse elimination routine, (Forum SPE 10526) SPEJ Oct. 83, 743-745

Venezuela
Tia Juana field: linear and radial steam flow; calculation methods for, (Tech. Paper SPE 6788) SPEJ Jun. 83, 427-439

Viscoelasticity
Behavior: effect on injectivity of polyacrylamide solutions, (Tech. Paper SPE 9297) SPEJ Jun. 83, 475-485

Viscosity
Biopolymer solution stabilization: polymer degradation and antioxidant use, (Tech. Paper SPE 9296) SPEJ Dec. 83, 901-912

Viscosity Ratio
In displacement of residual oil by miscible fluids: physically scaled model studies simulating, (Tech. Paper SPE 8896) SPEJ Jun. 83, 440-446
Oil/water: laboratory tests on heavy oil recovery by steam injection, (Tech. Paper SPE 10778) SPEJ Jun. 83, 417-426

Vortex
Shedding: wind tunnel tests of inclined circular cylinders, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196

W

Wabasca Tar Sand
See Canada, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98

Water
Bitumen interface: stability of aqueous wetting films; Athabasca tar sands, (Tech. Paper SPE 10626) SPEJ Apr. 83, 249-258
Bottom zone: steamflooding Wabasca tar sand through; scaled model tests, (Tech. Paper SPE 8398) SPEJ Feb. 83, 92-98
Mobile: effects on multiple-contact miscible gas displacement, (Tech. Paper SPE 10687) SPEJ Jun. 83, 447-455
Sensitivity of sandstones, (Tech. Paper SPE 10103) SPEJ Feb. 83, 55-64
Steam systems: using nonequilibrium thermodynamics in geothermal reservoir simulation, (Tech. Paper SPE 10551) SPEJ Aug. 83, 613-622

Waterflooding
Balanced viewpoint: comparative study of characteristics and susceptibility of pattern-type water-injection well networks, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900
Efficiency of oil recovery improved by addition of anionic and nonionic surfactant mixtures: phase partitioning, (Tech. Paper SPE 8261) SPEJ Apr. 83, 301-310
Linear: analytical solution including effects of capillary pressure, (Tech. Paper SPE 9407) SPEJ Feb. 83, 115-124

Wave Action
On large offshore structures, (Tech. Paper SPE 11334) SPEJ Feb. 83, 184-190

Well Completion
Sand-consolidation resins: stability in hot brine, (Tech. Paper SPE 10653) SPEJ Apr. 83, 238-248

Well Pattern
Comparative study of characteristics and susceptibility of water-injection networks: viewpoint of balanced waterfloods, (Tech. Paper SPE 10567) SPEJ Dec. 83, 891-900

Well Performance
Interpretation of well-block pressures: numerical reservoir simulation; with nonsquare grid blocks and anisotropic permeability, (Tech. Paper SPE 10528) SPEJ Jun. 83, 531-543

Well Workovers
Hole cleaning: drilled cuttings transport using common drilling muds; experimental study, (Tech. Paper SPE 10674) SPEJ Feb. 83, 11-20

Wellbore Mechanics
Afterflow at pulsing well: method to account for during pulse tests, (Forum SPE 11318) SPEJ Jun. 83, 519-520
Internal flows in geothermal wells: their identification and effect on temperature and pressure profiles, (Tech. Paper SPE 10317) SPEJ Feb. 83, 168-176

Wilmington Field
See California, (Tech. Paper SPE 8995) SPEJ Aug. 83, 657-668

Winds
Tunnel tests: of inclined circular cylinders, (Tech. Paper SPE 11546) SPEJ Feb. 83, 191-196

Wyoming
Crude oils and caustic solutions: static and dynamic interfacial tensions between, (Tech. Paper SPE 10917) SPEJ Aug. 83, 645-656

X

Xanthan Gum
Microgels: elimination by new enzymatic treatments, (Tech. Paper SPE 10712) SPEJ Feb. 83, 81-91